

# UNBELIEVABLE FUEL SAVINGS OF ₹1,20,000\* WITH X GUARD TYRES.

National / Regional application for trucks and buses\*\*.



**X GUARD**

## > 10% EXTRA FUEL EFFICIENCY\*

173 metre continuous steel wire delivers unbelievable inner strength with fuel savings.

## > 10% EXTRA TYRE MILEAGE#

New grooves appear after 50% tyre wear leading to extra mileage.



## TESTIMONIAL

"We are pleased to partner Michelin for our latest range of 37T trucks. The MICHELIN X® Guard™ radial tyres provide us tremendous fuel efficiency, helping us offer a differentiated product in this segment."

- Ashok Leyland



## TECHNICAL SPECIFICATIONS

Size	Pattern	Load / Speed Index	Ply Rating	Load / Tyre in kg (S/D)	Max. Speed (km/hr)	Max. Inflation Pressure (PSI)	Recommended Rim Size (in cms and inches)	Tread Depth (mm)		
10.00 R 20	X MULTI <sup>HD</sup> Z	147 / 143K	16	3075 / 2725	110	115	19.05 X 50.8 cm	16	<b>X MULTI<sup>HD</sup> TUBE TYRE</b>	
							7.5 X 20 in			
10.00 R 20	X MULTI <sup>HD</sup> D	147 / 143K	16	3075 / 2725	110	115	19.05 X 50.8 cm	18.5		
							7.5 X 20 in			
11.00 R 22.5	X MULTI Z	148 / 145L	16	3150 / 2900	120	116	20.96 X 57.15 cm	16		
							8.25 X 22.5 in			
11.00 R 22.5	X MULTI D	148 / 145L	16	3150 / 2900	120	116	20.96 X 57.15 cm	21.5		
							8.25 X 22.5 in			
295 / 80 R 22.5	X MULTI Z	152 / 149M	18	3550 / 3250	130	130	20.96 X 57.15 cm	15.3		
							8.25 X 22.5 in			
295 / 80 R 22.5	X MULTI D	152 / 149M	18	3550 / 3250	130	130	20.96 X 57.15 cm	18.7		
							8.25 X 22.5 in			
235 / 75 R 17.5	X MULTI Z	132 / 130M	16	2000 / 1900	130	110	17.15 X 44.45 cm	12.5		
							6.75 X 17.5 in			
10.00 R 20	X GUARD D	147 / 143K	16	3075 / 2725	110	115	19.05 X 50.8 cm	16.8	<b>X GUARD</b>	
							7.5 X 20 in			
10.00 R 20	X GUARD Z	147 / 143K	16	3075 / 2725	110	115	19.05 X 50.8 cm	12		
							7.5 X 20 in			
10.00 R 20	X WORKS <sup>HD</sup> Z	147 / 143K	16	3075 / 2725	110	115	19.05 X 50.8 cm	17		
							7.5 X 20 in			
10.00 R 20	X WORKS <sup>HD</sup> D	147 / 143K	16	3075 / 2725	110	115	19.05 X 50.8 cm	20		
							7.5 X 20 in			
7.50 R 16	AGILIS <sup>HD</sup>	122 / 121L	14	1500 / 1450	120	108	15.24 X 40.64 cm	10.3		<b>AGILIS<sup>HD</sup></b>
							6.00 X 16 in			
8.25 R 16	AGILIS <sup>HD</sup>	128 / 126K	16	1800 / 1700	110	104	16.51 X 40.64 cm	11.5		
							6.50 X 16 in			
11.00 R 22.5	X INCITY Z	148 / 145J	16	3150 / 2900	100	120	20.96 X 57.15 cm	16		
							8.25 X 22.5 in			
295 / 80 R 22.5	X INCITY XZUE3+	152 / 148J	16	3550 / 3150	100	125	20.96 X 57.15 cm	18		
							8.25 X 22.5 in			

Subject to Michelin terms & conditions. For complete terms and conditions, please visit [www.michelintransport.in](http://www.michelintransport.in)  
All Michelin tyres are subjected to Michelin standard warranty.

“

**We operate 36 vehicles. On the recommendation of our Michelin Account Manager we tried Michelin X Guard tyres and are very satisfied with their performance compared with Ceat Radial Tyres. We also taken 3 vehicles of AL 3718+ fitted with MI X Guard Tyres.**

”

“

**We are Jaipur based fleet with 33 vehicles and carrying general goods from Gujarat to Haryana. We had fitted X-G-D in Nov. 2015, after realizing benefits from both side - fuel & Mileage we are repeating it in our all Rigid vehicles. Currently we are using 4 Tyres XGD on drive axle & experiencing fuel saving of 5.45% with these tyres.**

**RJ 14GC 4276 (AL 2515) - Average 3.85 Jk-CDH**

**RJ 14GA 8616 (AL 6X2) - Average 4.00 XGD**

**Saving = 5.45 % with X Guard D.**

**Now we are planning to fit XGD on carry a less also where currently using retread.**

”