

PERFORMANCE, FULLY LOADED WITH MICHELIN X WORKS

Tube type radial tyres for on / off road application.



X WORKS

> REDUCED TYRE CONSUMPTION


- 8% stronger super high tensile cable#
- 10% stronger resistance to crown road hazard*

> REDUCED DOWNTIME

- 25% Higher bead rupture resistance#

> ENHANCED DURABILITY

- Stone ejectors^ at the base of the tread groove ensures even wear.



TESTIMONIAL

"Performance and mileage of X works is very good and there is no issue with claims or warranty."

- Shri Raghavendra Roadlines

TECHNICAL SPECIFICATIONS

Size	Pattern	Load / Speed Index	Ply Rating	Load / Tyre in kg (S/D)	Max. Speed (km/hr)	Max. Inflation Pressure (PSI)	Recommended Rim Size (in cms and inches)	Tread Depth (mm)		
10.00 R 20	X MULTI ^{HD} Z	147 / 143K	16	3075 / 2725	110	115	19.05 X 50.8 cm	16	X MULTI ^{HD} TUBE TYRE	
							7.5 X 20 in			
10.00 R 20	X MULTI ^{HD} D	147 / 143K	16	3075 / 2725	110	115	19.05 X 50.8 cm	18.5		
							7.5 X 20 in			
11.00 R 22.5	X MULTI Z	148 / 145L	16	3150 / 2900	120	116	20.96 X 57.15 cm	16		
							8.25 X 22.5 in			
11.00 R 22.5	X MULTI D	148 / 145L	16	3150 / 2900	120	116	20.96 X 57.15 cm	21.5		
							8.25 X 22.5 in			
295 / 80 R 22.5	X MULTI Z	152 / 149M	18	3550 / 3250	130	130	20.96 X 57.15 cm	15.3		
							8.25 X 22.5 in			
295 / 80 R 22.5	X MULTI D	152 / 149M	18	3550 / 3250	130	130	20.96 X 57.15 cm	18.7		
							8.25 X 22.5 in			
235 / 75 R 17.5	X MULTI Z	132 / 130M	16	2000 / 1900	130	110	17.15 X 44.45 cm	12.5		
							6.75 X 17.5 in			
10.00 R 20	X GUARD D	147 / 143K	16	3075 / 2725	110	115	19.05 X 50.8 cm	16.8	X GUARD	
							7.5 X 20 in			
10.00 R 20	X GUARD Z	147 / 143K	16	3075 / 2725	110	115	19.05 X 50.8 cm	12		
							7.5 X 20 in			
10.00 R 20	X WORKS ^{HD} Z	147 / 143K	16	3075 / 2725	110	115	19.05 X 50.8 cm	17		
							7.5 X 20 in			
10.00 R 20	X WORKS ^{HD} D	147 / 143K	16	3075 / 2725	110	115	19.05 X 50.8 cm	20		
							7.5 X 20 in			
7.50 R 16	AGILIS ^{HD}	122 / 121L	14	1500 / 1450	120	108	15.24 X 40.64 cm	10.3		AGILIS ^{HD}
							6.00 X 16 in			
8.25 R 16	AGILIS ^{HD}	128 / 126K	16	1800 / 1700	110	104	16.51 X 40.64 cm	11.5		
							6.50 X 16 in			
11.00 R 22.5	X INCITY Z	148 / 145J	16	3150 / 2900	100	120	20.96 X 57.15 cm	16		
							8.25 X 22.5 in			
295 / 80 R 22.5	X INCITY XZUE3+	152 / 148J	16	3550 / 3150	100	125	20.96 X 57.15 cm	18		
							8.25 X 22.5 in			

Subject to Michelin terms & conditions. For complete terms and conditions, please visit www.michelintransport.in
All Michelin tyres are subjected to Michelin standard warranty.

“

Dear Micheiin Team, we are a prominent feet of more than 150 vehicles based in Durg operation in Road construction application working at different sites in Chhattisgarh. We have fitted 5 8x2 trucks (all 12 wheelers) with Michelin X Works D and X Works Z tyres in all the axles which were regularly monitored by Micehlin officials. We would be pleased to share our results.

”